

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/660,780	09/12/2003	Nambi Seshadri	58268.00224	5880
32294	7590 02/22/2008 DEDS & DEMPSEV I I	EXAMINER		
SQUIRE, SANDERS & DEMPSEY L.L.P. 14TH FLOOR			LERNER, MARTIN	
8000 TOWERS CRESCENT TYSONS CORNER, VA 22182			ART UNIT	PAPER NUMBER
	,		2626	
			MAIL DATE	DELIVERY MODE
			02/22/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)
Office Action Summary		10/660,780	SESHADRI, NAMBI
		Examiner	Art Unit
		Martin Lerner	2626
Period fo	- The MAILING DATE of this communication apport	ears on the cover shee	with the correspondence address
A SHO WHIC - Exten after S - If NO - Failur Any ro	DRTENED STATUTORY PERIOD FOR REPLY HEVER IS LONGER, FROM THE MAILING DASSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing dipatent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMU 36(a). In no event, however, ma will apply and will expire SIX (6) In cause the application to become	INICATION. y a reply be timely filed MONTHS from the mailing date of this communication. e ABANDONED (35 U.S.C. § 133).
Status			
2a)□ 3)□	Responsive to communication(s) filed on <u>21 Desemble</u> This action is FINAL . 2b) This Since this application is in condition for allowant closed in accordance with the practice under Ex	action is non-final.	· .
Disposition	on of Claims		
5) [Claim(s) 1 to 21 is/are pending in the application 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1 to 15 and 19 to 21 is/are rejected. Claim(s) 16 to 18 is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.	
Application	on Papers		
10)🖾 ¯	The specification is objected to by the Examiner The drawing(s) filed on <u>27 July 2007</u> is/are: a) Applicant may not request that any objection to the careplacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Example 1.	accepted or b) obdiced or b) obdiced or b) obdiced or belowing (s) be held in abeous on is required if the draw	yance. See 37 CFR 1.85(a). ing(s) is objected to. See 37 CFR 1.121(d).
Priořity u	nder 35 U.S.C. § 119		
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prioric application from the International Bureau ee the attached detailed Office action for a list of	s have been received. s have been received i ity documents have be (PCT Rule 17.2(a)).	n Application No een received in this National Stage
2) 🔲 Notice 3) 🔲 Inform	(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date	Paper	ew Summary (PTO-413) No(s)/Mail Date of Informal Patent Application

DETAILED ACTION

The following new grounds of rejection are in response to a decision to re-open prosecution pursuant to the Request for a Pre-Appeal Conference filed by Applicant on 21 December 2007. It is maintained that *Thambiratnam et al.* ("Speech Recognition in Adverse Environments using Lip Information") provides a somewhat better disclosure for purposes of appeal for the features of "detecting if the audio signals can be processed" and "processing the video signals based on a detection that at least a portion of the audio signal cannot be processed". The finality of Office Action is withdrawn, and the rejection is **NON-FINAL**.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1 to 3, 5 to 7, 9 to 11, and 13 to 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Morris* in view of *Thambiratnam et al.* ("Speech Recognition in Adverse Environments using Lip Information").

Concerning independent claims 1, 5, and 9, *Morris* discloses a speech recognition method, device, and system, comprising:

10/660.780

Art Unit: 2626

"an audio signal receiver configured to receive audio signals from a speech source" - a user speaks to system 100, and system 100 captures the user's speech with speech input unit 104 (column 4, lines 15 to 19: Figures 1 and 2: Block 202); speech is an audio signal;

"a video signal receiver configured to receive video signals from the speech source" - a user speaks to system 100, and system 100 captures the user's image with video input unit 102 (column 4, lines 15 to 19: Figures 1 and 2: Block 202);

"a processing unit configured to process the audio signals and the video signals" - system 100 combines any captured speech or video and proceeds to process the combined data stream in multi-sensor fusion/recognition unit 106 (column 4, lines 20 to 24: Figures 1 and 2: Block 204);

"a conversion unit configured to convert at least one of the audio signals and the video signals to recognizable information" - system 100 interprets any verbal input using the speech recognition functions of multi-sensor fusion/recognition unit 106; speech recognition is supplemented by visual information captured by video input unit 102, such as any interpreted facial expressions (e.g., lip-reading); a list of spoken words is generated from the verbal input (column 4, lines 25 to 31: Figures 1 and 2: Block 206); spoken words are recognizable information;

"an implementation unit configured to implement a task based on the recognizable information" - system 100 provides a response based upon whether the user has asked a question or made a statement; if a user has asked a question, then system 100 searches knowledge database 116 for a response to the objective question: 10/660,780 Art Unit: 2626

a user may ask: "What is the weather in Phoenix, today?"; system 100 retrieves an answer, and the information is communicated as output via computer monitor and speakers (column 4, line 56 to column 5, line 24: Figure 3: Blocks 306, 308, 310, 312, 322); responding to a question by searching a knowledge database for a weather report in Phoenix, and outputting the weather report, is equivalent to implementing a task.

Concerning independent claims 1, 5, and 9, the only elements arguably omitted by *Morris* are "detecting if the audio signal can be processed", processing the audio signals "if it is detected that the audio signals can be processed", and processing the video signals "if it is detected that at least a portion of the audio signal cannot be processed". *Morris* discloses processing both the audio and video signals for multisensor fusion, so that better recognition can be obtained from speech input and video input. Fundamentally, one having ordinary skill in the art would readily understand that a speech recognizer that utilizes both audio and video for purposes of recognition would utilize the video if the quality of the audio information is poor, and utilize the audio if the quality of the audio information is good. Specifically, *Thambiratnam et al.* teaches speech recognition in adverse environments, where asynchronous integration merges the results of two systems together to produce a combined probability:

$$P_c = \lambda P_A + (1 - \lambda P_V),$$

where P_A represent the acoustic score from the acoustic subsystem, P_V represents the visual scores from the video subsystem, and λ is a weighting parameter that depends on the signal-to-noise (SNR) ratio. (§4.2 Asynchronous Integration: Pages 150 to 151: Figure 3) Moreover, Figure 4 illustrates performance accuracy as a function of SNR,

10/660,780

Art Unit: 2626

where the visual subsystem performs at the same error rate of approximately 85%, regardless of the SNR, but that the acoustic subsystem performance degrades rapidly as the SNR decreases. In fact, Figure 4 shows that for SNR < 5, a video subsystem will provide better accuracy than any of the acoustic subsystems of Mel-Cepstral, RASTA, or Mel-RASTA. (§5.1 Individual Sub-System Performance: Page 151: Figure 4) (Setting the weighting parameter, λ =0, corresponds to processing only the video signals.) Thus, one skilled in the art would have found it "obvious to try" processing the video signals based on a detection that at least a portion of the audio signal cannot be processed due to a low signal-to-noise ratio as taught by *Thambiratnam et al.* It would have been obvious to one having ordinary skill in the art to process the video signals based on a detection that at least a portion of the audio signal cannot be processed as suggested by *Thambiratnam et al.* in a multi-sensor fusion/recognition unit of *Morris* for a purpose of improving an accuracy of speech recognition in adverse environments for conditions of low signal-to-noise ratios.

Concerning independent claims 13 to 15, similar considerations apply as to independent claims 1, 5, and 9. Implicitly, the signal-to-noise ratio must be a function of time, and the audio and video segments coincide in time, so that *Thambiratnam et al.* would process the audio and video as segments coinciding in time.

10/660,780 Art Unit: 2626

Concerning claims 2, 6, and 10, *Morris* discloses that video input unit 102 receives face/voice expressions and interpreted facial expressions including lip-reading (column 4, lines 27 to 30: Figures 1 and 2).

Concerning claims 3, 7, and 11, *Morris* discloses that, in one embodiment, processing by multi-sensor fusion recognition unit 106 is split into three parallel processes to minimize time of processing (column 4, lines 20 to 24: Figures 1 and 2).

3. Claims 4, 8, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Morris* in view of *Thambiratnam et al.* ("Speech Recognition in Adverse Environments using Lip Information") as applied to claims 1, 5, and 9 above, and further in view of *Bakis et al.*

Morris does not expressly disclose a storage unit for storing the audio signals and the video signals to a destination source, and a transmitter for sending the audio signals and the video signals to a destination source. However, it is well known to operate biometric identification via a client/server network, where biometric data is stored on a server, and biometric data is collected locally but compared to stored biometric data on the server. Bakis et al. teaches an analogous art method and apparatus for recognizing the identity of individuals by a speaker recognition system and a lip classifier, where biometric attributes are pre-stored for later retrieval so that they may be compared. Further, a server is included for interfacing with a plurality of biometric recognition systems to receive requests for biometric attributes therefrom and transmit biometric attributes thereto. The server has a memory device for storing the

10/660,780 Art Unit: 2626

biometric attributes. (Column 8, Line 47 to Column 9, Line 16) Objectives are to provide a significant increase in the degree of accuracy of recognition and to provide a significant reduction in fraudulent or errant access to a service and/or facility. It would have been obvious to one having ordinary skill in the art to store and send biometric attributes to a server ("a destination source") as taught by *Bakis et al.* in a method, device, and system for combining audio and video signals of *Morris* for purposes of increasing accuracy of recognition and reducing fraudulent access.

4. Claims 19 to 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Morris in view of Thambiratnam et al. ("Speech Recognition in Adverse Environments using Lip Information") as applied to claims 1, 5, and 9 above, and further in view of Brunelli et al.

Morris omits "determining if the video images of the user are detected", and "indicating to the user if the video image is not detected." However, one having ordinary skill in the art would understand that if the camera does not properly capture a face of a speaker in a method and apparatus for audio-visual speech recognition, then the camera would need to be adjusted. Specifically, *Brunelli et al.* teaches an integrated multisensory recognition system for speaker-recognition and visual-features recognition (Abstract), where an attention module 9 is sensitive to a signal provided by a television camera 3. When attention module 9 detects a face due to the arrival of a person P in front of television camera 3 has stabilized, and checks that certain elementary condition are

10/660,780

Art Unit: 2626

satisfied. When snapping module 10 has verified the existence of conditions of stability of a framed image, an acoustic indicator or loud speaker asks person P to utter certain words to initiate multisensory recognition. (Column 4, Line 50 to Column 5, Line 34: Figure 2) Thus, person P, or "the user", is notified when his/her images are not detected because an acoustic indicator does not prompt the user to speak the words; a user only hears an audio indication when his/her image is captured, so an absence of a prompt is equivalent to an indication that the video image was not detected. An objective is to combine acoustic and visual data in an optimal manner that reduces probabilities of error to a minimum. (Column 2, Lines 3 to 10) It would have been obvious to one having ordinary skill in the art to provide a feature of notifying a user if a video image is not detected as taught by *Brunelli et al.* in a method and apparatus of multi-sensor fusion/recognition of *Morris* for a purpose of combining acoustic and visual data in an optimal manner that reduces probabilities of error to a minimum.

Allowable Subject Matter

- 5. Claims 16 to 18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 6. The following is a statement of reasons for the indication of allowable subject matter:

The prior art of record does not disclose or reasonably suggest the limitation of defining an error threshold, comparing a number of detected errors in an audio signal

Art Unit: 2626

with the threshold, and determining that the audio signals cannot be processed if the number of errors equals or exceeds the threshold. The prior art of record suggests a parameter involving a signal-to-noise ratio for an audio signal to determine that the quality of the audio signal is sufficient to obtain good accuracy for speech recognition, but does not compare a number of errors with a threshold.

Response to Arguments

7. Applicant's arguments filed 21 December 2007 have been considered but are most in view of the new grounds of rejection.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure.

Connell et al., Hershey et al., Teissier et al. ("Comparing Models for Audiovisual Fusion in Noisy-Vowel Recognition Task"), and Lucey et al. ("Improved Speech Recognition using Adaptive Audio-Visual Fusion via a Stochastic Secondary Classifier") disclose related art directed to audio-visual speech recognition.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Martin Lerner whose telephone number is (571) 272-7608. The examiner can normally be reached on 8:30 AM to 6:00 PM Monday to Thursday.

10/660,780

Art Unit: 2626

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David R. Hudspeth can be reached on (571) 272-7843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ML 2/20/08

Martin Lerner

Examiner

Group Art Unit 2626